	Application No.	Applicant(s)
Notice of Allowability	09/468,639	KAWADA ET AL.
	Examiner	Art Unit
	Regina Liang	2629
		<u> </u>
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to interview summary record 1/30/08.		
2. The allowed claim(s) is/are <u>44-53</u> .		
 3.		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No.		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
·		
		. •
	•	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal	Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summar	• •
	Paper No./Mail Da	ate
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛛 Examiner's Amend	Iment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Statem	nent of Reasons for Allowance
-	9.	•
•		

Application/Control Number:

09/468,639 Art Unit: 2629

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Matthew Poison on 2/8/08.

The application has been amended as follows: cancel non-elected claims 28, 31-33, 38-43.

2. The following is an examiner's statement of reasons for allowance: none of prior art teach or suggest a driving device for a plasma display panel by applying drive voltages to the plural cells formed between the first and second electrodes, comprising at a first timing for lighting the plural cells, drive current flows through a connection route of a positive polarity power supply, the first electrode common driver, the scan driver, the first electrode, the cell, the second electrode, the second electrode common driver and a negative polarity power supply, and at a second timing for lightening the plural cells, drive current flows through a connection route of the positive polarity power supply, the second electrode common driver, the second electrode, the cell, and first electrode, the scan driver, the first electrode common driver and the negative polarity power supply as claimed in independent claim 44.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Application/Control Number:

09/468,639 Art Unit: 2629

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Regina Liang whose telephone number is (571) 272-7693. The examiner can normally be reached on Monday-Friday from 8AM to 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Hjerpe, can be reached on (571) 272-7691. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Regina Liang Primary Examiner Art Unit 2674